Factory: 237/2, Vellivoyal Chavadi, Chennai - 600 103

Office Telephone No: 9043339509

MATERIAL SAFETY DATA SHEET DISULFIRAM - USP

1. IDENTIFICATION OF THE PREPARATION AND OF THE COMPANY

Product Name : DISULFIRAM - USP

Application : (TETRA ETHYL THIURAM DI SULPHIDE)

CAS-No : 97-77-8

Company Identification : East Coast Organics (P) Ltd.,

Chennai _ 600 103, Tamilnadu, INDIA.

Office Telephone No: 9043339509

2. Hazard(s) identification

Product Name CAS Number		Molecular Weight	Chemical Formula		
Disulfiram	97-77-8	296.54	C10H20N2S4		

2.1 Classification of the Substance or Mixture:

Acute Toxicity: Oral, Category 4 Skin Sensitization, Category 1

Specific Target Organ Toxicity (repeated exposure), Category 2 Aquatic Toxicity (Acute), Category 1

Aquatic Toxicity (Chronic), Category 1

2.2 Label Elements:







GHS Signal Word:

Warning

Factory: 237/2, Vellivoyal Chavadi, Chennai – 600 103

Office Telephone No: 044 - 64606699

GHS Hazard Phrases:

H302: Harmful if swallowed.

H317: May cause an allergic skin reaction.

H373: May cause damage to {organs} through prolonged or repeated

exposure. H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

GHS Precaution Phrases:

P264: Wash {hands} thoroughly after handling.

P261: Avoid breathing {dust/fume/gas/mist/vapours/spray}.

P272: Contaminated work clothing should not be allowed out of the workplace. P280: Wear {protective gloves/protective clothing/eye protection/face protection}. P362+364: Take off contaminated clothing and wash it before reuse.

P260: Do not breathe

{dust/fume/gas/mist/vapours/spray}. P273: Avoid

release to the environment.

GHS Response Phrases:

P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell. P330: Rinse mouth.

P302+352: IF ON SKIN: Wash with plenty of soap and water.

P333+313: If skin irritation or rash occurs, seek medical advice/attention.

P314: Get medical attention/advice if you feel

unwell. P391: Collect spillage.

GHS Storage and Disposal Phrases:

Please refer to Section 7 for Storage and Section 13 for Disposal information.

2.3 Adverse Human Health Harmful if swallowed.

Effects and Symptoms: Material may be irritating to the mucous membranes and upper respiratory tract.

May be harmful by inhalation or skin absorption. May cause an allergic skin

reaction.

May cause damage to {organs} through prolonged or repeated exposure. May cause eye, skin, or respiratory system irritation.

Very toxic to aquatic life with long lasting effects.

To the best of our knowledge, the toxicological properties have not been thoroughly investigated

Factory: 237/2, Vellivoyal Chavadi, Chennai - 600 103

Office Telephone No: 044 – 64606699

3. Composition/Information on Ingredients

Component	CAS-No	Concentration %		
Disulfiram	97-77-8	100		

4. First-aid measures

Eye Contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Get medical attention.

Skin Contact: Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. Get medical attention.

Inhalation: Remove from exposure, lie down. Remove to fresh air. If not breathing, give

artificial respiration. Get medical attention.

Ingestion: Clean mouth with water. Get medical attention.

Most important symptoms

and effects

May cause allergic skin reaction. Symptoms of allergic reaction may include rash,

itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

Notes to Physician : Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media : Auto Ignition Temperature: 240-280°C Use water spray, dry powder or regular

foam to extinguish fires Water spray. Carbon dioxide (CO₂). Dry chemical. Alcohol resistant foam.

Unsuitable Extinguishing Media : No information available

Flash Point : No information available
Method - : No information available
Autoignition Temperature : No information available

Explosion Limits

Upper: No data availableLower: No data available

Sensitivity to Mechanical Impact : No information available

Sensitivity to Static Discharge: No information available

Specific Hazards Arising from the Chemical:

Do not allow run-off from fire-fighting to enter drains or water courses.

Hazardous Combustion Products:

A self contained breathing apparatus (SCBA) operating in the positive pressure mode and full fire fighting protective clothing should be worn for combating fires. During a fire the product can form (sulfur dioxide, nitrogen

Factory: 237/2, Vellivoyal Chavadi, Chennai - 600 103

Office Telephone No: 044 - 64606699

oxides, Carbon dioxide (CO₂). Nitrogen oxides (NOx. Carbon monoxide (CO). and toxic fumes) . Dust may form explosive mixture with air at concentrations above 20 g/m3.

Protective Equipment and Precautions for Firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full

Protective gear.

6. Accidental release Measures

Personal Precautions: Ensure adequate ventilation. Use personal protective equipment as required.

Environmental Precautions: Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

Methods for Containment and Clean : Sweep up and shovel into suitable containers for disposal. **Up**

7. Handling and storage

Handling: Avoid contact with skin and eyes. Avoid contact with skin and clothing. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Avoid breathing vapors or mists. Do not ingest. If swallowed then seek immediate medical assistance. Wash thoroughly

after handling.

Storage: Do not store at high temperatures, near oxidants and strong acids. Store in closed

containers in a dry environment ,Keep in a dry, cool and well-ventilated place. Refer product

specification and/or product label for specific storage temperature requirement. Keep

container tightly closed.

8. Exposure controls / Personal protection

Exposure Guidelines:

Component ACGIH TLV		OSHA PEL NIOSH IDLH		Mexico OEL (TWA)	
Disulfiram	TWA: 2 mg/m ³	(Vacated) TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	

Legend:

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Control: Local exhaust ventilation should be provided. The need for local exhaust ventilation should be evaluated by a professional industrial hygienist. Local exhaust ventilation systems should be designed by a professional engineer. Ensure adequate ventilation, especially in confined areas. Ventilation systems.

Personal Protective Equipment:

Eye/face Protection: Chemical protective goggles are recommended where there is a possibility of eye contact with the product. Safety glasses with side shields are recommended for all other operations. An eye wash device should be available in the work area where the product is handled.

Factory: 237/2, Vellivoyal Chavadi, Chennai - 600 103

Office Telephone No: 9043339509

Skin and body protection: Neoprene or nitrile gloves should be worn to prevent irritation and possible absorption. Cloth gloves are not recommended. Neoprene or nitrile rubber coated apron or other body covering may be required if there is a possibility of regular work clothing becoming contaminated with the product. All soiled or dirty clothing and personal protective equipment should be thoroughly cleaned before reuse. A shower is recommended after handling this product..

Respiratory Protection: Use as a minimum a NIOSH approved 1/2 face piece respirator equipped with cartridges approved for organic vapors, acid gases, and particulate matter with an exposure limit of not less than 0.05 mg/M3.

Hygiene Measures : Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

9. PHYSICAL AND CHEMICAL PROPERTIES:

Appearance/Physical State: Off white powder

Boiling Point/Range 117 °C / 242.6 °F 23 hPa

Melt Point: 69°C - 72°C

Vapor Density (Air = 1):

Octanol/Water Partition Coefficient: log Pow = 3.88
Vapor Pressure: Negligible
Evaporation Rate BuOAC = 1: NA
Odor: Slight amine Specific Gravity: 1.3

% Volatile by Volume: <0.5% by mass

Boiling Point: NA

Solubility in Water: 0.02 g/100ml

pH: NA

Other Solubility: Soluble in Benzene, Carbon disulfide organic liquid, Ethanol

Other: None

Flash Point No information available

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

UpperNo data availableLowerNo data availableAutoignition Temperature240 -280 °cMolecular FormulaC10 H20 N2 S4Molecular Weight296.54

10. Stability and reactivity

Stability /Polymerization: Stable

Reactive Hazard : None known, based on information available

Conditions to Avoid : Incompatible products.

Hazardous Polymerization : No information available

Hazardous Reactions : None under normal processing

Incompatibility (conditions to avoid): High temperatures and contact with acids and oxidants. **Hazardous Decomposition Products**: Nitrogen oxides, carbon dioxide and sulfur oxides. **Special Sensitivity:** Dust may form explosive mixture with air at concentrations above 20 g/m3.

Factory: 237/2, Vellivoyal Chavadi, Chennai - 600 103

Office Telephone No: 9043339509

11. Toxicological information

Acute Toxicity:

Product Information : Component Information :

Component		LD50 Oral	LD50 Dermal	LC50 Inhalation
	Disulfiram	LD50 = 500 mg/kg (Rat)	LD50 > 2000 mg/kg (Rab	bit)

Toxicologically Synergistic Products: No Information Available

Delayed and immediate effects as well as chronic effects from short and long-term exposure:

Irritation : No information available

Sensitization: May cause sensitization by skin contact.

Carcinogenicity: The table below indicates whether each agency has listed any

ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Disulfiram	97-77-8	Not listed				

Mutagenic Effects: No information availableReproductive Effects: No information availableDevelopmental Effects: No information availableTeratogenicity: No information available

STOT - single exposure : None known

STOT - repeated exposure: Liver Central nervous system (CNS) Peripheral Nervous System (PNS)

Aspiration hazard: No information available

Symptoms / effects,both acute

and delayed

: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness,

chest pain, muscle pain or flushing

Endocrine Disruptor Information: No information available

Other Adverse Effects : The toxicological properties have not been fully investigated.

12. Ecological information

The product contains following substances which are hazardous for the environment. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microto	Water Flea
Disulfiram	Not	LC50: = 0.187	Not	Not
	listed	mg/L, 96h semi-	listed	listed
		static (Poecilia		
		reticulata)		

Factory: 237/2, Vellivoyal Chavadi, Chennai - 600 103

Office Telephone No: 9043339509

Persistence and Degradability: Insoluble in water Persistence is unlikely based on information

available.

Bioaccumulation / Accumulation : No information available.

Mobility: Is not likely mobile in the environment due its low water solubility.

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Disulfiram	3.88

13. Disposal considerations

Product should be disposed of in an EPA approved incinerator in accordance with all local, state, and/or federal regulations.

US Superfund, reportable quantity 40 CFR 302.4 App. A, reportable quantity 1 lb. U403 RCRA Hazardous Constituents 40 CFR 261 App VIII, U403, 1 lb. reportable quantity Superfund Reportable Quantity Chemicals 40 CFR 302.4, 1 lb. reportable quantity.

Water pollution, hazardous substance designation, 40 CFR 116.4 Table A, 40 CFR 116.4 Table

14.Transport information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Environmentally hazardous substance, solid, n.o.s.

(N,N,N',N'-tetraethyl-thioperoxydicarbonic diamide)

DOT Hazard Class: 9 CLASS 9

UN/NA Number: UN3077 Packing Group: III

Certification of : IIP (Indian Institute of Packaging)



LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Environmentally hazardous substance, solid, n.o.s.

(N,N,N',N'-tetraethyl-thioperoxydicarbonic diamide)

UN Number: 3077 Packing Group: III

Hazard Class: 9 - CLASS 9

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Environmentally hazardous substance, solid, n.o.s.

(N,N,N',N'-tetraethyl-thioperoxydicarbonic diamide)

Factory: 237/2, Vellivoyal Chavadi, Chennai - 600 103

Office Telephone No: 9043339509

UN Number: 3077 Packing Group: III
Hazard Class: 9 - CLASS 9 IATA Classification: 9

Additional Transport: Transport in accordance with local, state, and federal regulations.

Information: When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10. Therefore packaging does not have to be labeled as Dangerous Goods/Excepted Quantity

15. Regulatory information

United States of America Inventory:

Component	CAS-No	TSCA	TSCA Inventory notification	TSCA - EPA Regulatory
Disulfira	97-77-8	X	ACTIV	-

Component	CAS-No	DSL	NDSL	EINECS	PICC	ENCS	AICS	IECSC	KECL
Disulfira	97-77-8	X	-	202-607-8	Х	X	Χ	X	KE-03026

CERCLA/RCRA: Superfund, reportable quantity 40 CFR 302.4 App. A, reportable quantity 1 lb U403

SARA Title III, Section 313, NTP, IARC, 1910.119 Process Safety Management Propositions 65 (CA),

Clean Air : Not listed WHMIS : Listed 1%

Subpart Z: Recently removed from list.

TSCA : All ingredients listed on the TSCA inventory.

Canadian DSL: All ingredients listed. ECC Hazardous Substances Statements:

R 22 Harmful if swallowed.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S 22 Do not breathe dust. S 24 Avoid contact with skin.

S 61 Avoid release to the environment...

16. Other information

NE = Not Established NA = Not Applicable ND = Not Determined

IMPORTANT SAFETY NOTICE:

The information in the Material Safety Data Sheet relates only to the specific material(s) described herein and does not relate to use in combination with any other material or substance or in any process. We believe that the information contained herein is current as of the date of issue of this Material Safety Data Sheet. Since the use of this information and these opinions and the conditions of use of this product are not within the control of Sovereign Chemical Company, it is the user's obligation to determine the conditions of safe use of the product. Users of this product should study this Material Safety Data Sheet and become aware of the product hazards and safety information before using the product. Users should also notify their employees, agents, and contractors of the information on this Material Safety Data Sheet and any product hazards and safety information in order to provide safe use of this product.